

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: RIVER REGION KIDS II, LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/11/2025
Facility Address: 3874 S. COURT ST, MONTGOMERY, AL 36105, Montgomery	Licensee: RIVER REGION KIDS II, LLC	Telephone #: (334) 398-8109
Ages: 6 Years to 12 Years	Director (if applicable): NOAH THOMAS	Capacity: 30 , NA Day Night

SECTION B - DEFICIENCY INFORMATION


Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary All deficiencies corrected as of 09/22/2025. Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff are not enrolled in Alabama Pathways Registry	
	9/22/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

Amy Horn


Date

***Signature of DHR Licensing
Representative***

Date

COPIES TO: _____