

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: Cedar Oaks Learning Center	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/23/2025
Facility Address: 300 Highway 47, Columbiana, AL 35051, Shelby	Licensee: Alexandria Reed	Telephone #: (205) 671-5017
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 22 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
Deficiency Summary SUPERVISION AT ALL TIMES, Allegation	Pending Correction
Comments: Per staff statements on 9-18-25 four (4) children ages 24-36 months were left unsupervised when staff stepped out of the classroom. , Ad Hoc	Pending Correction
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/15/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

	09/25/2025
Signature of Facility Representative	Date
Catherine Paulk	9-23-25
Signature of DHR Licensing Representative	Date

COPIES TO: _____ center _____