

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SONYA CLEMENS CHILDCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 8/19/2025
Facility Address: 9329 TWIN BEECH RD, FAIRHOPE, AL, 36532, Baldwin	Licensee: SONYA CLEMENS	Telephone #: (251) 367-0286
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	<u>Date Corrected by</u> <u>Licensee</u>
Deficiency Summary	
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: MUST REGISTER ON ALABAMA PATHWAYS	8/19/2025
Failed - Medical, Staff Checklist Comments: EXPIRED	8/19/2025
The fire inspection is expired. , Ad Hoc Comments: NA	9/26/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected. NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

08/19/25

Date

Olivia Jackson

08/19/25

Signature of DHR Licensing Representative

Date