

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION



Facility Name: BOBCAT BABIES	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 10/1/2025
Facility Address: 104 STEELE ST, PHIL CAMPBELL, AL 35581, Franklin	Licensee: OBREY BURKS	Telephone #: (205) 993-4207
Ages: 7 Days to 12 Years	Director (if applicable): OBREY BURKS	Capacity: 83 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
Deficiency Summary There were no deficiencies noted or observed on today's visit. All Health and Safety met as of 10/1/25., Ad Hoc Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

<u></u> Signature of Facility Representative Catressa Rozell	<u>10/1/25</u> Date
<u></u> Signature of DHR Licensing Representative	<u>10/1/25</u> Date