

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SUCCESS BY6/MLK ELEMENTARY PRE-K CLASS	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 10/3/2025
Facility Address: 4655 GATEWAY STREET, MONTGOMERY, AL 36108, Montgomery	Licensee: FAMILY GUIDANCE CENTER OF ALABAMA, INC.	Telephone #: (334) 284-8080
Ages: 3 Years to 5 Years	Director (if applicable): Anita Landrum McCants	Capacity: 18 / NA Day Night

SECTION B - DEFICIENCY INFORMATION


<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
No Deficiencies observed at the time of visit.	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the staff are not enrolled in Alabama Pathways Registry	10/3/2025
Failed - Each child signed in and signed out with a written signature or bio-metric ID, Inspection Form Comments: One child not signed in upon arrival	8/20/2025
Failed - Fire, Inspection Form Comments: Missing documentation	10/3/2025
Failed - Tornado, Inspection Form Comments: Missing documentation	10/3/2025
Failed - Lockdown, Inspection Form Comments: Missing documentation	10/3/2025

Failed - Relocation, Inspection Form Comments: Missing documentation	10/3/2025
Failed - TB Test Date and Results, Staff Checklist Comments: Missing results	10/3/2025
Failed - Medical, Staff Checklist Comments: Missing documentation	10/3/2025
Failed - Infant -Child CPR Certification, Staff Checklist Comments: Missing documentation	9/4/2025
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Immunization Certificate, Child Checklist Comments: Missing certificate	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025

Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	10/3/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	9/4/2025
Failed - Electrical outlets covered, Classroom Checklist / Success By 6/MLK Elementary Pre-K Class Comments: Outlet in art area uncovered	10/3/2025
Failed - Hazardous substances locked, Classroom Checklist / Success By 6/MLK Elementary Pre-K Class Comments: Gain Dish Detergent, shaving cream, hand sanitizier and Soap not under lock & key or combination lock	9/4/2025
One child was not signed in upon arrival., Ad Hoc Comments: NA	9/4/2025
The staff purse was not under lock & key or combination lock., Ad Hoc Comments: NA	9/4/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

10-06-25
Date

Amy Horn

Signature of DHR Licensing Representative

10/6/25
Date

COPIES TO: email to head teacher