

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CHILDCARE RESOURCES HEAD START-GREAT STA	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/4/2025
Facility Address: 900 PALMER AVE, BRIGHTON, AL 35020, Jefferson	Licensee: CHILDCARE RESOURCES HEAD START PROGRAM	Telephone #: (205) 918-6947
Ages: 2 Years to 5 Years	Director (if applicable): TONYA JONES	Capacity: 42 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Medical, Staff Checklist	9/26/2025
Comments: Incomplete	
Failed - Shelving for equipment and supplies/anchored, Classroom	9/4/2025
Checklist / Head Start - 3 Year Old	
Comments: incomplete	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Brandul Perine

Date

Signature of DHR Licensing

Date

Representative

COPIES TO: _____