

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: KINDER CARE LEARNING CENTER #1334	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]           Family [ ] University [ ] Group [ ]	Date of Visit: 10/8/2025
Facility Address: 3160 OLD COLUMBIANA ROAD, HOOVER, AL 35226, Jefferson	Licensee: KINDER CARE LEARNING CENTERS LLC	Telephone #: (205) 822-8110
Ages: 6 Weeks to 12 Years	Director (if applicable): JOYCELYN WILLIAMS	Capacity: 103       /    NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>	<b>Date Corrected by</b> <b>Licensee</b>
<b>Deficiency Summary</b>	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff members are not enrolled in the Alabama Pathway's Registry.	8/29/2025
Failed - Immunization Certificate, Child Checklist Comments: Missing	9/2/2025
Failed - Preadmission Form, Child Checklist Comments: Missing	9/2/2025
Failed - Immunization Certificate, Child Checklist Comments: Missing	9/2/2025
Failed - Preadmission Form, Child Checklist Comments: Missing	9/2/2025
Failed - Immunization Certificate, Child Checklist Comments: Missing	9/2/2025
Failed - Preadmission Form, Child Checklist Comments: Incomplete	8/29/2025
Failed - Immunization Certificate, Child Checklist Comments: Missing	8/29/2025
Failed - Preadmission Form, Child Checklist Comments: Incomplete	9/2/2025
Failed - Immunization Certificate, Child Checklist Comments: Missing	8/29/2025
Failed - Immunization Certificate, Child Checklist	9/2/2025

Comments: Expired Failed - Immunization Certificate, Child Checklist	9/2/2025
Comments: Expired Failed - Immunization Certificate, Child Checklist	9/2/2025
Comments: Expired Failed - Immunization Certificate, Child Checklist	9/2/2025
Comments: Missing Failed - Immunization Certificate, Child Checklist	9/2/2025
Comments: Expired Failed - Diapering area, Classroom Checklist / Toddlers 2's	9/7/2025
Comments: Broken changing table door There is a broken cabinet door in the Prek Classroom., Ad Hoc	9/7/2025
Comments: NA	

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

*Joycelyn Williams*  
 \_\_\_\_\_  
**Signature of Facility Representative**

10/08/25  
 \_\_\_\_\_  
 Date

*Shundr Nevels*  
 \_\_\_\_\_  
**Signature of DHR Licensing Representative**

\_\_\_\_\_  
 Date

COPIES TO: \_\_\_\_\_