

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|  |   |   |
|--|---|---|
| Facility Name:<br>HAND IN HAND EARLY LEARNING PROGRAM                    | Type of Facility : Center [X]<br>Day [X]            OST [ ]<br>Night [ ]        Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>10/13/2025              |
| Facility Address:<br>120 OSLO CIRCLE, BIRMINGHAM,<br>AL 35211, Jefferson | Licensee:<br>UNITED ABILITY   | Telephone #:<br>(205) 944-3939            |
| Ages:<br>6 Weeks to 5 Years  | Director (if applicable):<br>KIM TURNER BRAASCH   | Capacity:<br>141 / NA<br>Day        Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>  | Date Corrected by<br>Licensee |
|--|-------------------------------|
| <p><b>Deficiency Summary</b></p> <p>Per video footage viewed on October 14, 2025, On October 07, 2025, a four (4) year old child went into an unlocked supply closet and closed the door after coming in from the playground and was left unsupervised for approximately 5 minutes. , Ad Hoc<br/>Comments: NA</p> <p>There were exposed electrical outlets in a surge protector in the first three (3) year old room., Ad Hoc<br/>Comments: NA</p> |                               |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/28/25, as verification that //deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards

applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Lenore Harrison  
*Signature of Facility Representative*

10/14/25  
Date

Jaime Bowman  
*Signature of DIIR Licensing Representative*

10/14/25  
Date

COPIES TO: Lenore Harrison