

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: KINGDOM KIDS CHILDCARE	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 10/15/2025
Facility Address: 1300 W. MONTGOMERY AVE, SHEFFIELD, AL 35660, Colbert	Licensee: ASHLEY HARRIS	Telephone #: (256) 314-2009
Ages: 6 Weeks to 12 Years	Director (if applicable): Ashley HARRIS	Capacity: 36        NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
Failed - Center director meets qualifications, Inspection Form Comments: needs 24 hours In Service	10/13/2025
Failed - Medical, Staff Checklist Comments: expired	10/1/2025
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: expired	10/10/2025
Failed - Health and Safety Training, Staff Checklist Comments: expired	10/2/2025
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: expired	10/10/2025
Failed - Health and Safety Training, Staff Checklist Comments: need #'s 1-6, 8, and 9	10/2/2025
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: expired	9/26/2025
Failed - Ongoing Training, Staff Checklist Comments: expired	10/13/2025
Failed - Medical, Staff Checklist Comments: expired	10/3/2025
Failed - Preadmission Form, Child Checklist Comments: incomplete	10/2/2025
Failed - Preadmission Form, Child Checklist Comments: incomplete	10/2/2025

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be**

completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/29/25, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ashley Hennis  
**Signature of Facility Representative**

10/15/25  
Date

Lea Rae Gaines

**Signature of DHR Licensing Representative**

10/15/25  
Date

COPIES TO: \_\_\_\_\_