

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GENEVA HEAD START	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/19/2025
Facility Address: 603 MULKEY AVENUE, GENEVA. AL 36340, Geneva	Licensee: SE AL REGIONAL PLANNING & DEV COMMISSION	Telephone #: (334) 684-6168
Ages: 3 Years to 5 Years	Director (if applicable): Tina Wambles	Capacity: 86 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Verification of Education, Staff Checklist Comments: Not in file	10/3/2025
Failed - References, Staff Checklist Comments: not in file	9/19/2025
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: Not in file.	10/3/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before corrected, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards

applicable to that facility. It is the responsibility of the licensee to operate in compliance with

Performance Standards.

Rene Wambles

Signature of Facility Representative

Jay Dalton

Signature of DHR Licensing Representative

COPIES TO: Rene Wambles

10/16/2025
Date

10-16-2025
Date