

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ANNIE'S TRUE LOVE CHILD DEV CENTER	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 10/22/2025
Facility Address: 2424 HACKBERRY LANE, HOOVER, AL 35226, Jefferson	Licensee: KYLA CARR	Telephone #: (205) 823-5899
Ages: 0 Weeks to 13 Years/0 Weeks to 13 Years	Director (if applicable):	Capacity: 45 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary On today's visit, two classrooms were added for increase in capacity. In the school age classroom, the preschool equipment was added for a change of ages. All classroom checklists were check today. When all deficiencies are corrected, the center's capacity for upstairs will increase to 40. The total capacity will increase to 54. Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: None of the facility staff members are enrolled in Alabama Pathway's registry. Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: An overgrowth of weeds/ vines along the fenceline Failed - Health and Safety Training, Staff Checklist Comments: Expired Failed - Health and Safety Training, Staff Checklist Comments: Expired Failed - Health and Safety Training, Staff Checklist Comments: Expired Failed - Posted Daily schedule w/ 60 minutes of active play, Classroom Checklist / Cherries Comments: Does not include at least 60 min of active play Failed - Diapering area, Classroom Checklist / Sugar Plums Comments: Missing a diapering table Failed - Plastic-lined, covered container, Classroom Checklist /	

Sugar Plums

Comments: Missing a plastic line container

Failed - *Easel, Classroom Checklist / Lemons

Comments: missing easel

There was one child (3 yrs) grouped with the Toddler Classroom
(18mos -2 1/2), Ad Hoc

Comments: NA


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

SHUNDR NEVELS



Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____