

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: PINEY CHAPEL HEAD START	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 10/24/2025
Facility Address: 20835 ELKTON ROAD, ATHENS, AL 35614, Limestone	Licensee: COMMUNITY ACTION PARTNERSHIP OF N. AL	Telephone #: (256) 606-3112
Ages: 3 Years to 5 Years	Director (if applicable):	Capacity: 40 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by</u> <u>Licensee</u>
Deficiency Summary Failed - Verification of Education, Staff Checklist Comments: Needs verification of education.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative
Angela Brogdon

10/24/2025

Date

Signature of DHR Licensing Representative

10/24/2025

Date

COPIES TO: Canpa Office- Toni Smith