ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: V. TURNER EARLY LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 10/24/2025
Facility Address: 1313 CLARKVIEW STREET S W, DECATUR, AL 35601, Morgan	Licensee: COMMUNITY ACTION PARTNERSHIP OF N A INC.	Telephone #: (256) 580-5450
Ages: 3 Weeks to 5 Years	Director (if applicable): CASSIE LILES	Capacity: 56 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary NO DEFICIENCIES CITED THIS VISIT.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____X_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

_____ 10·24·25
Signature of Facility Representative Date

LEA RAE GAINES
_____ ___10/24/25_____
Signature of DHR Licensing Representative Date

COPIES TO: _____