

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MOM-EZE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 10/23/2025
Facility Address: 225 SOUTH DAVIS AVE, SYLACAUGA, AL, 35150, Talladega	Licensee: MOM-EZE INC	Telephone #: (256) 245-3107
Ages: 6 Weeks to 12 Years	Director (if applicable): ANGELA PEARSON	Capacity: 54 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
<p>Deficiency Summary Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: CAN form not on file Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Suitability letter not on file Department representative observed a preschool child unsupervised in the hallway bathroom., Ad Hoc Comments: NA A preschool child was found alone and unsupervised in the closed Toddler classroom, Ad Hoc Comments: NA The teacher in the 2 1/2 year classroom does not have a staff file. , Ad Hoc Comments: NA The teacher in the 3 year old classroom does not have a staff file. , Ad Hoc Comments: NA Two staff members are missing the required CAN form, Ad Hoc Comments: NA Two staff members do not have the required suitability letter on file, Ad Hoc Comments: NA Two staff members do not have the required CCDF training hours on file; therefore, the classroom is out of ratio, Ad Hoc Comments: NA</p>	

