ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: COBBLESTONE LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 10/30/2025
Facility Address: 66 PENSER BLVD, MILLBROOK, AL, 36054, Elmore	Licensee: COBBLESTONE LEARNING CENTER, L.L.C.	Telephone #: (334) 285-8517
Ages: 6 Weeks to 12 Years	Director (if applicable): SHARON CLARK	Capacity: 84 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary	
Failed - Fence or wall free of sharp edges, Inspection Form Comments: There are prickly vines growing along the fence line of the playground.	10/30/2025
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There is a broken chair on the playground.	10/30/2025
Failed - Hazardous substances locked, Classroom Checklist / Room 3 Comments: The cabinet and the bathroom both contain hazards and are not under lock and key.	10/30/2025
There is a broken curtain rod and curtain in the 18month- 21/2 year classroom., Ad Hoc Comments: NA	10/30/2025
The air vent is loose and poses a hazard in the 21/2-3 year old classroom., Ad Hoc Comments: NA	10/30/2025
The toilet is not working in the 21/2-3 year old classroom., Ad Hoc Comments: NA	10/30/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____NA_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

_____	_____
Signature of Facility Representative	Date
JESSICA VICE	
_____	_____**10/30/25**_____
Signature of DHR Licensing Representative	Date

COPIES TO: ___Center_____