

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KID'S KINGDOM CHRISTIAN CARE CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/4/2025
Facility Address: 415 S. SCOTT STREET, SCOTTSBORO, AL 35768, Jackson	Licensee: KID'S KINGDOM CHRISTIAN CARE CENTER	Telephone #: (256) 259-5116
Ages: 6 Weeks to 12 Years	Director (if applicable): ERICA OWENS	Capacity: 127 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
There were no deficiencies cited during today's visit.	
Failed - Gates secured, Inspection Form Comments: The gate on the pre-k/SA playground is not latching to the adjoining pole.	9/19/2025
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There is a bolt protruding from the blue pipe that used for a barrier on the pre-k playground.	9/19/2025
Failed - Each child 6 and older, the driver, and each adult passenger secured in an individual seat belt, properly anchored to the vehicle, Inspection Form Comments: Some of the seats on the bus did not have seat belts.	9/18/2025
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: There is no training uploaded in Alabama Pathways.	10/2/2025
Failed - 18 up to 2½ years 1 to 7, Inspection Form Comments: There was one teacher supervising eight children in the 18 to 2 1/2-year-old classroom.	9/18/2025
Failed - Health and Safety Training, Staff Checklist Comments: need current health and safety training.	10/2/2025
Failed - Health and Safety Training, Staff Checklist Comments: need current health and safety training.	10/2/2025
Failed - Health and Safety Training, Staff Checklist	10/2/2025

Comments: need current health and safety training. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need current health and safety training. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need current health and safety training. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need current health and safety training. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need health and safety training. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need health and safety training. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need current health and safety training. Failed - Medical, Staff Checklist	9/25/2025
Comments: no medical on file. Failed - References, Staff Checklist	11/4/2025
Comments: no references on file. Failed - CA/N Clearance Form (Every Five Years), Staff Checklist	10/2/2025
Comments: no ca/n form on file. Failed - Health and Safety Training, Staff Checklist	10/2/2025
Comments: need health and safety training. Failed - Medical, Staff Checklist	9/25/2025
Comments: no medical on file. Failed - TB Test Date and Results, Staff Checklist	9/25/2025
Comments: no tb on file. Failed - References, Staff Checklist	11/4/2025
Comments: no references on file. Failed - CA/N Clearance Form (Every Five Years), Staff Checklist	10/1/2025
Comments: no ca/n on file Failed - Suitability Determination (Every 5 years), Staff Checklist	10/2/2025
Comments: no suitability on file. Failed - Current Driver's License, Staff Checklist	11/4/2025
Comments: no CDL on file Failed - Health and Safety Training, Staff Checklist	9/26/2025
Comments: no health and safety training. Failed - Immunization Certificate, Child Checklist	10/20/2025
Comments: expired 9.4.25 The Department Representative observed a neighbor's chicken going in and out of the pre-k/school-age playground., Ad Hoc	9/29/2025
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of

Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Kimberly Maynor
Signature of Facility Representative

11/4/25
Date

~~ANGELA BROGDON~~
Ladanya James
Signature of DHR Licensing Representative

Nov. 4, 2025
Date

COPIES TO: Kimberly Maynor