

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BLESSINGS CHILDCARE - ONEONTA	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/4/2025
Facility Address: 40 TIDWELL HOLLOW ROAD, ALLGOOD, AL 35013, Blount	Licensee: BLESSING'S BY DAY CHILDCARE, LLC	Telephone #: (205) 625-5437
Ages: 4 Weeks to 12 Years	Director (if applicable): NISA NEW	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Center free of apparent hazards, Inspection Form Comments: There was chipping paint on one of the cabinets in the Nursery (infant) room.	10/21/2025
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: Exposed screw on stairs of wood structure on preschool/school age playground. Rusty chain on one swing on the preschool/school age playground. Fence was not anchored in several places on both playgrounds.	10/15/2025
Failed - Preadmission Form, Child Checklist Comments: missing information	10/17/2025
Failed - Hazardous substances locked, Classroom Checklist / Toddler Comments: Cleaning products in unlocked cabinet.	10/15/2025
Failed - Hazardous substances locked, Classroom Checklist / 2s Comments: Cleaning products in an unlocked cabinet.	10/15/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before
 NA , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Halherene Mill
Signature of Facility Representative

11/4/2025
Date

JAIME BOWMAN

Signature of DHR Licensing Representative

Date

COPIES TO: Nisa New