

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: SUSAN NORRIS	Type of Facility : Center [] Day [X] OST [] Night [X] Family [] University [] Group [X]	Date of Visit: 11/5/2025
Facility Address: 140 LEE ROAD 213, PHENIX CITY, AL, 36870, Lee	Licensee: SUSAN NORRIS	Telephone #: (706) 888-5389
Ages: 6 Weeks to 12 Years/	Director (if applicable): N/A	Capacity: 12 12 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Preadmission Form, Child Checklist Comments: Preadmission form is incomplete.	
	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/12/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

ROBIN BUSSIE

11-5-25
Date

Signature of DHR Licensing Representative

11/05/2025
Date