

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: PURPOSE CHILDCARE AND ACADEMY, LLC.	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/5/2025
Facility Address: 1345 S MEMORIAL DR., PRATTVILLE, AL 36067, Autauga	Licensee: PURPOSE CHILDCARE AND ACADEMY, LLC	Telephone #: (334) 312-0113
Ages: 6 Weeks to 12 Years	Director (if applicable): DAVINA TOLVER	Capacity: 97 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Climbers are broken on the preschool playground.	Pending Correction
Failed - *Digging or sand area, Inspection Form Comments: No digging or sand area on either playground.	Pending Correction
Failed - Shade and sun areas provided, Inspection Form Comments: The shade tent is down on the preschool playground.	Pending Correction
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: Broken equipment and no shade.	Pending Correction
Failed - Freedom of movement outside cribs daily, Inspection Form Comments: .	Pending Correction
Failed - Placed on tummy part of time while awake and observed, Inspection Form Comments: .	Pending Correction
Failed - Infants not seated for more than 15 minutes, Inspection Form Comments: .	Pending Correction
Failed - For infants, clean bottom sheets daily or more often if needed, sheets fit snugly, Inspection Form Comments: Sheets do not fit snugly.	Pending Correction
Failed - Soft material prohibited in infant's sleeping environment, no pillows, quilts, comforters, etc., Inspection Form	Pending Correction

Comments: Blankets on cribs and in swings with infants. Failed - No infant put to sleep on sofa, soft mattress, Inspection Form	Pending Correction
Comments: Infants were sleeping in swings during the Department visit. Failed - Center free of apparent hazards, Inspection Form	Pending Correction
Comments: Hazardous substances were not under lock and key. (Mop bucket with water, cleaning supplies and closets with hazards in the 2 1/2 and up room) Failed - Exposed electrical outlets have protective covers, Inspection Form	Pending Correction
Comments: Entry area and in the 2 1/2 and up classroom Failed - All children supervised at all times, Inspection Form	Pending Correction
Comments: During the Department visit, staff members on the playground were using cell phones. The center does not have two staff members with CPR and First Aid present during business hours., Ad Hoc	Pending Correction
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/10/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Davina T ~ :

Signature of Facility Representative

Date

JESSICA VICE

Signature of DHR Licensing Representative

11/5/2025
Date

COPIES TO: ____center_____