

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: THE CHILDREN'S PLACE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/6/2025
Facility Address: 711 GENE REED ROAD, The Children's Place BIRMINGHAM, AL 35235, Jefferson	Licensee: HUFFMAN UNITED METHODIST CHURCH	Telephone #: (205) 836-1362
Ages: 6 Weeks to 13 Years	Director (if applicable): ANIKA N DAVIS	Capacity: 127 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary There were no deficiencies noted for today's visit.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

JAIME BOWMAN

Date

11/06/25

**Signature of DHR Licensing
Representative**

Date

COPIES TO: Anika Davis