

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: KIDZ ZONE CHRISTIAN ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 11/7/2025
Facility Address: 750 ALLISON BONNETTE M.DR, DOLOMITE, AL 35020, Jefferson	Licensee: TOMETRUIS H. CRAIG	Telephone #: (205) 744-0010
Ages: 6 Weeks to 14 Years/6 Weeks to 14 Years	Director (if applicable): TOMETRIUS CRAIG	Capacity: 105 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: New storage box needs to be locked.	Pending Correction
Failed - Child care workers/teachers/subs meet requirements for Health & Safety training, Inspection Form Comments: one staff missing 11 hours of initial health and safety training.	Pending Correction
Failed - Medical exam and TB test on file at time of employment, Inspection Form Comments: no medical form only. TB test results were present.	Pending Correction
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: one staff watching 6 children without initial health and safety training.	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: form was for homes, not centers.	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: form was for homes, not centers.	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: form was for homes, not centers.	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: form was for homes, not centers.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: missing information	Pending Correction
Failed - Preadmission Form, Child Checklist	Pending Correction

Comments: missing information.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing second page.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing information.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing information.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing information	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing	
Failed - Electrical outlets covered, Classroom Checklist / Growing Zone	11/7/2025
Comments: two outlets not covered.	
Failed - Electrical outlets covered, Classroom Checklist / Finding Nemo	11/7/2025
Comments: plug not covered.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/21/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

11-15-25
Date

JAIME BOWMAN

11/07/25

Signature of DHR Licensing Representative

Date

COPIES TO: Carla Amerson