

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: ARDENT PRESCHOOL JONES VALLEY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/5/2025
Facility Address: 1065 FOUR MILE POST RD, HUNTSVILLE, AL 35802, Madison	Licensee: ARDENT PRESCHOOL JONES VALLEY LLC	Telephone #: (256) 755-3038
Ages: 6 Weeks to 6 Years	Director (if applicable): BRADLEY LINDSEY	Capacity: 222 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
In the 2 1/2 - 3 1/2 - year-old classroom, there was a child in the corner, with his face toward the wall as punishment., Ad Hoc Comments: NA	11/7/2025
In the 2 1/2 - 3-year-old classroom, there was hazardous substance not locked up., Ad Hoc Comments: NA	11/5/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

LATONYA JAMES

Signature of DHR Licensing Representative

COPIES TO: Reagan Armstead

11/07/2025

Date

11/07/2025
Date