

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ENSLEY STEAM ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/7/2025
Facility Address: 701 18TH STREET ENSLEY, BIRMINGHAM, AL 35218, Jefferson	Licensee: NAME MINISTRIES INC	Telephone #: (205) 786-1642
Ages: 3 Years to 12 Years	Director (if applicable): CYNTHIA COLLINS	Capacity: 26 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: Dismantled crawl through structure. broken slide with standing water. all wheel toys are broken with jagged edges. broken whiffle ball bat with jagged edges	Pending Correction
Failed - All children supervised at all times, Inspection Form Comments: There was a 4-year-old child that left a room not included on the license, entered the empty classroom, and was unsupervised for an undetermined amount of time.	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: only 1 staff was present with current infant/child CPR while other staff was picking up children.	Pending Correction
Failed - Each child signed in and signed out with a written signature or bio-metric ID, Inspection Form Comments: there was no signed in on a sign in sheet.	Pending Correction
Failed - Any child who arrives by walking or bus, signed in by staff, Inspection Form Comments: school age children were not signed in by staff.	Pending Correction
Failed - Exclusive use of activity areas, Inspection Form Comments: There were 11 children in a room that was not added to the license.	Pending Correction
Failed - Transportation checklists used as required, Inspection Form	Pending Correction

Comments: Transportation checklists were not being used.	
Failed - Each child under 5 years or weighing less than 40 pounds secured in forward facing child restraint, installed according to manufacturer's instructions, maintained in good condition, Inspection Form	Pending Correction
Comments: three-year-old child was transported in just a booster seat.	
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form	Pending Correction
Comments: Children were being transported in a vehicle without a vehicle safety checklist completed.	
Failed - References, Staff Checklist	Pending Correction
Comments: not on a reference form.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing information	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing information.	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: missing information.	
Failed - Electrical outlets covered, Classroom Checklist / Ensley STEAM Academy	Pending Correction
Comments: outlet not covered.	
Failed - Hazardous substances locked, Classroom Checklist / Ensley STEAM Academy	Pending Correction
Comments: Febreze air freshener and carving fork not under lock and key fire extinguisher not anchored and in child's reach. Vacuum cleaner in children's reach.	
There were 10 school age children sent to put their backpacks away unsupervised for an undetermined amount of time. , Ad Hoc	Pending Correction
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/21/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Cynthia A. Collins
Signature of Facility Representative

11-10-2025
Date

JAIME BOWMAN

11/07/25

**Signature of DHR Licensing
Representative**

Date 11-10-25

COPIES TO: Cynthia Collins

Cynthia A. Collins