

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: BLOOM CHILD ENRICHMENT CENTER	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]           Family [ ] University [ ] Group [ ]	Date of Visit: 11/12/2025
Facility Address: 2341 HWY 31, DEATSVILLE, AL, 36022, Autauga	Licensee: BLOOM CHILD ENRICHMENT CENTER LLC	Telephone #: (334) 425-2095
Ages: 6 Weeks to 6 Years	Director (if applicable): K JORDAN SALLAS	Capacity: 71            /    NA Day            Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<u>Date Corrected by Licensee</u>
<b>Deficiency Summary</b> Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Baby Room Comments: A shelf in the infant room is not secure.	11/12/2025

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before**

NA, as verification that deficiencies have been corrected.

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

Amanda Martin  
**Signature of Facility Representative**

\_\_\_\_\_  
Date

JESSICA VICE

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

\_\_\_\_\_  
11/12/2025  
Date

COPIES TO: \_\_\_\_\_ Director \_\_\_\_\_