

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: AIM ACADEMY OF HELENA	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]           Family [ ] University [ ] Group [ ]	Date of Visit: 11/12/2025
Facility Address: 20 GUNNER LANE, HELENA, AL 35080, Shelby	Licensee: AIM ACADEMY LLC	Telephone #: (205) 709-2700
Ages: 6 Weeks to 12 Years	Director (if applicable): SCOTT COTTER	Capacity: 163 / NA Day            Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<p><b>Deficiency Summary</b></p> <p>Per staff statements on Friday November 7, 2025, at 4:00pm two staff left a total of (6) six children ages 2-3 years old on the playground unsupervised for (1) one minute.</p>	<p>11/7/25</p>

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_ NA \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

11/15/25  
\_\_\_\_\_  
Date

CATHERINE PAULK

11-12-25

\_\_\_\_\_  
Signature of DHR Licensing Representative

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_ center \_\_\_\_\_