

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KIDS UNITED CHILD DEVELOPMENT CTR, LLC	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 11/14/2025
Facility Address: 109 WANDA COURT, DOTHAN, AL 36303, Houston	Licensee: KIDS UNITED CHILD DEVELOPMENT CTR,LLC	Telephone #: (334) 479-0833
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): SANDRA BRANCH	Capacity: 49 / 25 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Infants not seated for more than 15 minutes, Inspection Form Comments: 3 infants/toddlers were in walkers/activity tables for over 15 minutes and 1 was in the bed.	Pending Correction
Failed - Cries/signs of distress investigated immediately, Inspection Form Comments: There was an infant in the crib that was crying and was not checked on.	Pending Correction
Failed - Meals and snacks comply with USDA guidelines, Inspection Form Comments: There was not a vegetable on the plate.	Pending Correction
Failed - Medication administered only with written authorization from parent and child's health professional, Inspection Form Comments: There was off and bug spray without health professional authorization.	Pending Correction
Failed - Records on file at time of employment, Inspection Form Comments: There are staff that do not have a complete file.	Pending Correction

Failed - Plastic-lined, covered container, Classroom Checklist / 0-18 Month Class Comments: There is no cover for the container.	Pending Correction
Failed - Electrical outlets covered, Classroom Checklist / 0-18 Month Class Comments: There were outlets without covers.	11/14/2025
Failed - Containers labeled, Classroom Checklist / 0-18 Month Class Comments: The bleach water spray bottle did not have a label.	11/14/2025
In the 3 and 4 year old room there is peeling paint, peeling wallpaper, paint/crayons and dirt on the wall. The wall also has a lot of staples in it that does not have anything on them. , Ad Hoc Comments: NA	Pending Correction
In the 3- and 4-year-old room there is a hole in the back side of the door., Ad Hoc Comments: NA	Pending Correction
In the 3- and 4-year-old room the blinds are dusty., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/28/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Sandra Branch
Signature of Facility Representative

11/14/2025
Date

JAY DALTON

Signature of DHR Licensing Representative

11/14/25
Date

COPIES TO: Sandra Branch

90 days – 2/12/26