

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: J. L. MILLER EARLY LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 11/19/2025
Facility Address: 1268 MAPLE STREET, BIRMINGHAM, AL 35217, Jefferson	Licensee: JESUS IS LORD MINISTRY, INC.	Telephone #: (205) 703-8388
Ages: 6 Weeks to 13 Years	Director (if applicable): Tynesha Miller	Capacity: 42 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: there is a gap at the bottom of the fence on infant/toddler playground.	11/14/2025
Failed - Immunization Certificate, Child Checklist Comments: expired.	11/14/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JAIME BOWMAN

11 / 19 / 25

Date

11/19/25

***Signature of DHR Licensing
Representative***

Date

COPIES TO: Tynesha Miller