

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                                    |                                                                                                                                                                                                                                                                                  |                                   |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| Facility Name:<br>TRUE WORD OF LIFE CH/OPEN<br>ARMS LEARN.&DC                      | Type of Facility : Center <input checked="" type="checkbox"/><br>Day <input checked="" type="checkbox"/> OST <input type="checkbox"/><br>Night <input type="checkbox"/> Family <input type="checkbox"/><br>University <input type="checkbox"/><br>Group <input type="checkbox"/> | Date of Visit:<br>10/28/2025      |
| Facility Address:<br>5855 WARES FERRY ROAD,<br>MONTGOMERY, AL 36117,<br>Montgomery | Licensee:<br>TRUE WORD OF LIFE<br>CHURCH                                                                                                                                                                                                                                         | Telephone #:<br>(334) 649-1065    |
| Ages:<br>6 Weeks to 12 Years                                                       | Director (if applicable):<br>Ewander Payne                                                                                                                                                                                                                                       | Capacity:<br>90 / NA<br>Day Night |

**SECTION B - DEFICIENCY INFORMATION**

| <b><u>Performance Standard Deficiency</u></b><br><b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>                                                                                                                                         | <b>Date Corrected by<br/>Licensee</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                                                                                                     |                                       |
| ILLNESS AND INJURY, Allegation<br>Comments:                                                                                                                                                                                                   | 8/25/2025                             |
| APPARENT HAZARDOUS CONDIT, Allegation<br>Comments:                                                                                                                                                                                            | 8/25/2025                             |
| DHR did not receive a written report witin 5 days after the injury/illness requiring emergency medical treatment of a child while in the care of the child care facility which occurred on August 15, 2025., Ad Hoc<br>Comments: NA           | 8/25/2025                             |
| The 3 and 4 year old classrooms were out of ratio, 1 to 15 combined, when the 3 year old class staff left the room to get afternoon snack and the 4 year old class staff stood between the two classrooms., Ad Hoc<br>Comments: NA            | 10/28/2025                            |
| The creeper (toddler) and 1 year old (toddler) classrooms were out of ratio, 1 to 12 combined, when the 1 year old class staff left the room to get afternoon snack and the creeper (toddler) staff stood between the two classrooms., Ad Hoc | 10/28/2025                            |

Comments: NA

There were six 2 year olds on the large playground with five 4 year olds at the same time., Ad Hoc 10/28/2025  
Comments: NA

There were three children not signed in by parent/guardian and ten school age children not signed out on 10/28/2025., Ad Hoc 10/28/2025  
Comments: NA

In the creeper/toddler room there was one child asleep at the table., Ad Hoc 10/28/2025  
Comments: NA


The staff in the infant room does not have a Child Abuse and Neglect form., Ad Hoc 11/10/2025  
Comments: NA

The infant room was out of ratio due to the staff not having a Child Abuse and Neglect form., Ad Hoc 11/10/2025  
Comments: NA

The staff in the infant room does not have 11 hours of health and safety training., Ad Hoc 11/24/2025  
Comments: NA

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

12.4.25  
Date

LEANNA TOWERY

\_\_\_\_\_  
Signature of DHR Licensing Representative

11/24/2025  
Date