

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MINI MIRACLES CHILDCARE CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☒ Family ☐ University ☐ Group ☐	Date of Visit: 11/4/2025
Facility Address: 2650 LOWER WETUMPKA RD, MONTGOMERY, AL 36110, Montgomery	Licensee: MINI MIRACLES CHILDCARE CENTER,LLC	Telephone #: (334) 593-0808
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): JAWANNA EVANS	Capacity: 38 / 38 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: On the playground there was a kitchen set with broken plastic that had sharp edges.	11/4/2025
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: On the playground the swing on the far right had rusted sharp edges underneath the swing.	11/4/2025
Failed - Ongoing Training, Staff Checklist Comments: The staff needs 10 more hours of ongoing training.	11/7/2025
Failed - Health and Safety Training, Staff Checklist Comments: The staff needs Health and Safety Training CCDF #1-8, & 11.	11/7/2025
Failed - Health and Safety Training, Staff Checklist Comments: The staff needs Health and Safety training CCDF #1-8, & 11.	11/12/2025

Failed - Ongoing Training, Staff Checklist Comments: The staff needs 10 more hours of ongoing training.	11/24/2025
Failed - Health and Safety Training, Staff Checklist Comments: The staff needs Health and Safety Training CCDF #1-8, & 11.	11/24/2025
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has an incomplete home address.	11/4/2025
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has an incomplete home address and doctor's address.	11/4/2025
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has incomplete addresses.	11/4/2025
Failed - Preadmission Form, Child Checklist Comments: The preadmission form had incomplete addresses.	11/4/2025
Failed - Tub (portable plastic acceptable), Classroom Checklist / LWR INFANTS Comments: The facility does not have a portable plastic tub.	11/4/2025
Failed - Electrical outlets covered, Classroom Checklist / LWR TODDLER 1 Comments: In the toddler 1 room there was an electrical outlet that was not covered.	11/4/2025
Failed - Hazardous substances locked, Classroom Checklist / LWR TODDLER 1 Comments: In the toddler 1 room there was disinfectant solution not under lock and key.	11/4/2025
Failed - Electrical outlets covered, Classroom Checklist / LWR TODDLER 2 Comments: In the toddler 2 room there was an electrical outlet that was not covered.	11/4/2025
Failed - Electrical outlets covered, Classroom Checklist / LWR SCHOOL AGE Comments: In the school age room there were two electrical outlets that were not covered.	11/4/2025

Failed - Hazardous substances locked, Classroom Checklist / LWR
SCHOOL AGE

11/4/2025


Comments: In the school age room there were hazardous substances not under lock and key (bleach, Fabuloso, Lysol, Windex, Hydrogen Peroxide).

On the playground there were large broken tree limbs and a sharp bamboo shoot sticking out of the ground at children's level., Ad Hoc
Comments: NA

11/4/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

11/24/25
Date

LEANNA TOWERY

Signature of DHR Licensing Representative

11/24/2025
Date

COPIES TO: director

Date of Compliance: 11/24/2025