

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: TODAY CARE CHILDREN'S CENTER	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 11/19/2025
Facility Address: 2191 PARKWAY LAKE DRIVE, HOOVER, AL 35244, Shelby	Licensee: TODAY CARE CHILDREN'S CENTER, LLC	Telephone #: (205) 988-4017
Ages: 6 Weeks to 12 Years	Director (if applicable): JUDY SIMPSON	Capacity: 106 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some staff not enrolled in Alabama Pathway's Professional Development registry.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 12 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 12 hours	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 12 hours	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 12 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 24 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 12 hours	Pending Correction
Failed - Health and Safety Training, Staff Checklist	Pending Correction

Comments: missing Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing 12 hours Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing 12 hours Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing 12 hours Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing 12 hours Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing 12 hours Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing #1, #2, #3 #4 #6 and #11 Failed - Preadmission Form, Child Checklist	12/2/2025
Comments: Incomplete addresses Failed - Preadmission Form, Child Checklist	12/2/2025
Comments: incomplete addresses Failed - Preadmission Form, Child Checklist	12/2/2025
Comments: incomplete addresses Failed - Preadmission Form, Child Checklist	12/2/2025
Comments: incomplete addresses Failed - Preadmission Form, Child Checklist	12/2/2025
Comments: missing parent signatures Failed - Preadmission Form, Child Checklist	12/2/2025
Comments: missing signatures	12/2/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Shannon Jensen *SJ*

Signature of Facility Representative

December 11, 2025

 Date

1/13/2026

BRIDGETTE SMITH

Signature of DHR Licensing Representative

 Date