

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CEDAR OAKS LEARNING CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 9/23/2025
Facility Address: 300 Highway 47, Columbiana, AL 35051, Shelby	Licensee: ALEXANDRIA REED	Telephone #: (205) 671-5017
Ages: 6 Weeks to 12 Years	Director (if applicable): Alexandria Reed	Capacity: 22 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary SUPERVISION AT ALL TIMES, Allegation	10/13/2025
Comments: Per staff statements on 9-18-25 four (4) children ages 24-36 months were left unsupervised when staff stepped out of the classroom. , Ad Hoc	9/25/2025
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Alexandria Reed
Signature of Facility Representative

01/08/2025
Date

CATHERINE PAULK

10-23-25

***Signature of DHR Licensing
Representative***

Date

COPIES TO: _____center_____