

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**


Facility Name: LITTLE SCHOLARS 2	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 12/2/2025
Facility Address: 74613 TALLASSEE HIGHWAY, WETUMPKA, AL 36092, Elmore	Licensee: SONYA BUCKHANON	Telephone #: (334) 478-4280
Ages: 8 Weeks to 13 Years	Director (if applicable): SONYA DENAE BUCKHANON	Capacity: 45        /        NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Standing water in the ball storage area.	12/2/2025
Failed - Medical, Staff Checklist Comments: .	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / Infant Comments: Cleaning supplies	12/2/2025
Failed - *Push and pull toys 2, Classroom Checklist / Preschool 1 Comments: push and pull toys	12/2/2025
Failed - *Sit on riding toys – 2, Classroom Checklist / Preschool 1 Comments: sit on riding toys	12/2/2025

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 12/16/25, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**



\_\_\_\_\_  
**Signature of Facility Representative**

12/02/25

\_\_\_\_\_  
Date

JESSICA VICE

\_\_\_\_\_  
**Signature of DHR Licensing Representative**

12/02/25

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_ Director \_\_\_\_\_