

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MARY WYATT	Type of Facility : Center [] Day [X] OST [] Night [X] Family [X] University [] Group []	Date of Visit: 12/3/2025
Facility Address: 514 NEWPORT DRIVE EAST, mobile, AL 36609, Mobile	Licensee: MARY WYATT	Telephone #: (251) 366-9701
Ages: 6 Months to 13 Years/6 Months to 13 Years	Director (if applicable):	Capacity: 5 / 5 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Licensee's file has an expired suitability letter., Ad Hoc Comments: NA	Pending Correction
Facility's fire inspection report is expired., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/17/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Mary Wyatt

12-3-25

Signature of Facility Representative

DEBORAH LANG-DIXON



Date

12/3/25

Signature of DHR Licensing Representative

Date

COPIES TO: Mary Wyatt