

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: KIDS ARK CHILDCARE CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 12/4/2025
Facility Address: 1211 STATE HWY 160, WARRIOR, AL, 35180, Blount	Licensee: HOLY GROUND WORSHIP CENTER	Telephone #: (205) 590-3054
Ages: 6 Weeks to 18 Years	Director (if applicable): DARLENE SANDERS	Capacity: 82 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Ongoing Training, Staff Checklist Comments: MISSING 5 HOURS	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 5 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 5 hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 5 hours.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing 7 hours.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 5 hours.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 5 hours	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / Nursery Comments: cleaning supplies in unlocked cabinet.	12/4/2025
Failed - Plastic-lined, covered container, Classroom Checklist / Toddlers Comments: missing cover.	12/4/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before
12/18/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

12/04/2025
Date

JAIME BOWMAN

12/04/25

Signature of DHR Licensing Representative

Date

COPIES TO: Darlene Sanders