

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ALL KIDS CHILDCARE	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 12/5/2025
Facility Address: 3102 ALLISON BONNETT MEMORIAL DR SUITE 110, HUEYTOWN, AL, 35023, Jefferson	Licensee: MARY ANDERSON	Telephone #: (205) 491-3400
Ages: 12 Years	Director (if applicable): MARY ANDERSON	Capacity: 44 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary There were no deficiencies noted or observed on today's visit. All Health and Safety met as of 12/5/25., Ad Hoc Comments: NA	12/5/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Mary Anderson
Signature of Facility Representative

1/7/26
Date

CATRESSA ROZELL

Catressa Rozell
Signature of DHR Licensing Representative

1/7/26
Date