

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: EASTSIDE CHILDCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 12/5/2025
Facility Address: 2846 COLUMBIA HWY, DOTHAN, AL 36303, Houston	Licensee: EASTSIDE CHILDCARE INC	Telephone #: (334) 671-0342
Ages: 6 Weeks to 12 Years	Director (if applicable): WENDY ELIZABETH CALHOON	Capacity: 106 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<p>Deficiency Summary</p> <p>No deficiencies observed at this visit.</p>	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Wendy Calhoon
Signature of Facility Representative

12-8-2025
Date

JAY DALTON

12/5/25

Signature of DHR Licensing Representative

Date

COPIES TO: Wendy Calhoon