

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: RIGHT TRACK PRESCHOOL	Type of Facility : Center [X] Day [X]                    OST [ ] Night [ ]                Family [ ] University [ ] Group [ ]	Date of Visit: 12/9/2025
Facility Address: 161 FLOYD AVE, OZARK, AL 36360, Dale	Licensee: OZARK HOUSING COMMUNITY	Telephone #: (334) 443-0155
Ages: 4 Years to 5 Years	Director (if applicable): LISA MIKE	Capacity: 18        /    NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: All staff are not enrolled in the Alabama Pathway registry.	Pending Correction
Failed - Most recent fire inspection report within 5 years, Inspection Form Comments: Not posted	11/20/2025
Failed - Medical, Staff Checklist Comments: Not in file	12/1/2025

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these

