

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: WHIZ KIDZ CHILD CARE CENTER, INC.	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 12/9/2025
Facility Address: 1820 BESSEMER ROAD, BIRMINGHAM, AL 35208, Jefferson	Licensee: WHIZ KIDZ CHILD CARE CENTER, INC.	Telephone #: (205) 923-0123
Ages: 6 Weeks to 10 Years	Director (if applicable): SANDRA LAMPKIN	Capacity: 45 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
The owner/director's name/file was not listed under staff checklist. The file was checked onsite during this visit.	
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: Only one staff present on today's visit	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: Expired	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: Expired	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Missing	Pending Correction
Failed - Waterproof mattress, sheets, Classroom Checklist / Infant Room Comments: Missing 1 mattress	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Myra Campbell

Signature of Facility Representative

12/9/2025

Date

SHUNDR NEVELS

Signature of DHR Licensing Representative

Date

COPIES TO: _____