

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**



Facility Name: VESTAVIA DAY SCHOOL-VESTAVIA HILLS U.M.C	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 12/9/2025
Facility Address: 2061 KENTUCKY AVENUE, VESTAVIA HILLS, AL, 35216, Jefferson	Licensee: VESTAVIA DAY SCHOOL (VHUMC)	Telephone #: (205) 769-0128
Ages: 6 Weeks to 6 Years	Director (if applicable):	Capacity: 229        NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	Date Corrected by Licensee
<b>Deficiency Summary</b> There are no deficiencies noted or observed on today's visit. All Health and Safety met as of 12/9/25., Ad Hoc Comments: NA	12/9/2025

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

	<u>12-9-25</u>
<b>Signature of Facility Representative</b>	Date
CATRESSA ROZELL 	<u>12.9.25</u>
<b>Signature of DHR Licensing Representative</b>	Date