

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|   |   |  |
|---|---|--|
| Facility Name:<br>FUTURISTICS ACADEMY                                   | Type of Facility : Center [X]<br>Day [X]      OST [ ]<br>Night [ ]    Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>12/10/2025           |
| Facility Address:<br>1507 3RD AVE, TUSCALOOSA, AL,<br>35401, Tuscaloosa | Licensee:<br>CELICIA MCCA   | Telephone #:<br>(205) 292-7942         |
| Ages:<br>2 Years to 12 Years  | Director (if applicable):<br>CELICIA MCCA   | Capacity:<br>24 / NA<br>Day      Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>   | <u>Date Corrected by Licensee</u> |
|---|-----------------------------------|
| <b>Deficiency Summary</b>   |                                   |
| Failed - Cots cleaned and clean bottom sheets and top sheet/covers provided before used by another child, Inspection Form<br>Comments: No bottom sheets | Pending Correction                |
| Failed - Outdoor area adjoins or is safely accessible, Inspection Form<br>Comments: One gap at the bottom of the back fence                             | Pending Correction                |
| Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / future believers<br>Comments: One shelf not anchored                       | Pending Correction                |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

12/10/25  
Date

*BRANDUL PERINE*

\_\_\_\_\_  
**Signature of DHR Licensing  
Representative**

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_