

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ARDENT PRESCHOOL REDSTONE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 12/10/2025
Facility Address: 2400 RIDEOUT RD SW, HUNTSVILLE, AL 35808, Madison	Licensee: ARDENT PRESCHOOL REDSTONE, LLC	Telephone #: (256) 837-5437
Ages: 6 Weeks to 6 Years	Director (if applicable): JOHN LABRECHE	Capacity: 287 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
PUNISHMENT BY CHILD, Allegation Comments: The video footage confirmed that the staff took her child's hand and had her child hit Kennedy.	Pending Correction
REPORTED 24 HRS/5 DAYS, Allegation Comments: The incident was not reported within 24 hours to the Department.	Pending Correction
ROUGH OR HARSH HANDLING, Allegation Comments: The video footage confirmed the staff pressed her finger into Kennedy's head and the child fell down.	Pending Correction
In the 24-to-36 (toddlers B) classroom, the health, welfare, and safety of a child was at risk due to two staff taking another child's hand to hit a child., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must

put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 12/24/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ebony Meade
Signature of Facility Representative

12/10/2025
Date

LATONYA JAMES
Signature of DHR Licensing Representative

12/10/25
Date

COPIES TO: Ebony Meade