

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: UNITED CHRISTIAN LEARNING ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 12/15/2025
Facility Address: 1852-B FAIRVIEW AVE., PRATTVILLE, AL 36066, Autauga	Licensee: UNITED CHRISTIAN CHURCH	Telephone #: (334) 358-4954
Ages: 6 Weeks to 13 Years	Director (if applicable): FLORA MOTLEY	Capacity: 153 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
Deficiency Summary The infant classroom is out of ratio 6 children to 1 staff member., Ad Hoc Comments: NA	12/15/2025
Children in the 2 1/2 and up classroom were not seated while eating., Ad Hoc Comments: NA	12/15/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Greta Mims
Signature of Facility Representative

12/30/2025
Date

JESSICA VICE

12/15/2025

***Signature of DHR Licensing
Representative***

Date

COPIES TO: _____ Center _____