

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: OUR FUTURE CHILDCARE CENTER	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 12/18/2025
Facility Address: 1698-D TUSCALOOSA AVE. SW, BIRMINGHAM, AL, 35211, Jefferson	Licensee: OUR FUTURE CHILDCARE CENTER, INC.	Telephone #: (205) 923-9555
Ages: 6 Weeks to 12 Years	Director (if applicable): CHERYLIA GARRETT	Capacity: 65 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary SUPERVISION AT ALL TIMES, Allegation Comments: After reviewing the camera footage, the child climbed, a stool fell back, and bumped her forehead as a teacher walked away from the classroom at the time of the injury.	Pending Correction
After reviewing the camera footage on 12/18/25, the Department Representative witnessed a child (2) years old in the Toddler's Classroom on 12/16/25, climbed a stool, fell back to the floor, and bumped her forehead while holding on to the stool. , Ad Hoc Comments: NA	Pending Correction
After reviewing the camera footage on 12/18/25, the Department Representative witnessed a teacher walk away from the classroom, leaving another teacher out of ratio during a child injury (12 children to 1 teacher)(18mos-2.5 yrs)..., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of

these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Nancy S Brooks

Signature of Facility Representative

Date

SHUNDR NEVELS

Signature of DHR Licensing Representative

Date

COPIES TO: _____