

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: PRECIOUS LITTLE LAMBS, LLC	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 12/19/2025
Facility Address: 105 SOUTH CHRISTINE AVE, ANNISTON, AL 36207, Calhoun	Licensee: PRECIOUS LITTLE LAMBS, LLC	Telephone #: (256) 403-1411
Ages: 6 Weeks to 13 Years/	Director (if applicable): TAMERA HILL	Capacity: 26 / 15 Day Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Active Ant bed on the playground	9/17/2025
Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form Comments: one staff working without a complete CA/N.	9/17/2025
Failed - Required ratios maintained at all times, Inspection Form Comments: Infant room was 1 staff to 6 children.	9/17/2025
Failed - All children supervised at all times, Inspection Form Comments: one staff watching 2 classrooms during naptime.	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing certificates	12/19/2025



Failed - Preadmission Form, Child Checklist Comments: missing	8/29/2025
Failed - Immunization Certificate, Child Checklist Comments: expired	8/29/2025
Failed - Preadmission Form, Child Checklist Comments: missing	10/3/2025
Failed - Medication locked, Classroom Checklist / Animal Kingdom Comments: prescription diaper rash cream and Vaseline on changing table.	10/3/2025
The 2 and 1/2 year and 4 year rooms were out of ratio due to missing initial health and safety and CA/N's, Ad Hoc Comments: NA	11/3/2025
Staff files were incomplete due to missing information., Ad Hoc Comments: NA	Pending Correction
The two and one half (2 1/2) to four (4) year old room was left unsupervised for an undetermined amount of time when staff member was in the four (4) year old room with children who were awake., Ad Hoc Comments: NA	Pending Correction
There was a staff's purse not under lock and key in the pre-k room., Ad Hoc Comments: NA	11/5/2025

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 01/02/25, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Jaime

**Signature of Facility Representative**

JAIME BOWMAN

12-19-25

Date

12/19/25

**Signature of DHR Licensing Representative**

Date

COPIES TO: Tamera Hill