

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SMITH KINDERCARE	Type of Facility : Center [] Day [X] OST [] Night [X] Family [X] University [] Group []	Date of Visit: 10/21/2025
Facility Address: 1567 WEST AVENUE, MOBILE, AL 36604, Mobile	Licensee: DERICA SMITH	Telephone #: (251) 529-4729
Ages: 6 Weeks to 14 Years/18 Months to 14 Years	Director (if applicable):	Capacity: 5 / 5 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Dangerous substances locked, Inspection Form Comments: There are two cans of Lysol and soap sitting on the fireplace mantle, that's not locked.	10/21/2025
Failed - Area free of stacked lumber construction materials firewood, Inspection Form Comments: There is stacked lumber and piles of iron on the playground accessible to the children.	11/21/2025
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: Some staff required training certificates are not uploaded in the Alabama Pathways platform.	11/24/2025
Failed - Preadmission Form, Child Checklist Comments: Child's file is missing a Preadmission Form.	11/24/2025
Failed - Preadmission Form, Child Checklist Comments: There is no Preadmission record available in child's file.	11/24/2025
Failed - Immunization Certificate, Child Checklist Comments: There is no Immunization Record available in child's file.	11/24/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

01/06/2026

Date

DEBORAH LANG-DIXON

Signature of DHR Licensing Representative

Date

COPIES TO: _____