

ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: IVY LEAGUE ACADEMY	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 1/8/2026
Facility Address: 1000 WEST MAIN STREET, DOTHAN, AL 36303, Houston	Licensee: NEW BEGINNING MINISTRIES INTL INC	Telephone #: (334) 699-1780
Ages: 6 Weeks to 12 Years	Director (if applicable): KENISHA A RICHARDS	Capacity: 61 / NA Day Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
In the infant room there is a mattress with tears in it., Ad Hoc Comments: NA	1/8/2026 KARL 1/8/26
In the infant room there is odban (chemicals) in a cabinet without lock and key., Ad Hoc Comments: NA	1/8/2026 KARL 1/8/26

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before   , as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Kenisha Richards

1/8/26