

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ABC CHILDCARE/LEARNING CENTER	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST [] Night [] Family [] University [] Group []	Date of Visit: 1/9/2026
Facility Address: 301 EAST BOUNDARY STREET, EUFAULA, AL 36027, Barbour	Licensee: ABC CHILDCARE/LEARNING CENTER, LLP	Telephone #: (334) 687-1097
Ages: 6 Weeks to 12 Years	Director (if applicable): ERNESTINE TAYLOR-LEWIS	Capacity: 62 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
<p>The playground is restricted until all repairs have been made and a DHR representative inspect the playground., Ad Hoc Comments: NA</p>	
	1/9/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 1/23/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ernestine Taylor-Lewis

Signature of Facility Representative

1/9/2026

Date

JAY DALTON

1/9/26