

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE HEALTH & SAFETY GUIDELINES DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: COVENANT ACADEMY SITE 3	Type of Facility : Day ☒ Night ☐ Both ☐	Date of Visit: 12/4/2025
Facility Address: 4568 HALLS MILL RD, MOBILE, AL, 36693, Mobile		Telephone #: (251) 307-1863
Ages: 4 Years to 14 Years	Staff in Charge (If applicable): MADISON JONES	Capacity: 220 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Health & Safety Guidelines</u> Deficiency	Date Corrected
Deficiency Summary	
Failed - Temperature between 68-82 degrees, Inspection Form Comments: The thermometer is not reading 68 to 82 degrees in the luncheonroom.	Pending Correction
Failed - Outdoor area, Inspection Form Comments: The back side fence has open space at the bottom on the right side, an open space on the side.	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: There is one person with CPR and First on the premise.	Pending Correction
Failed - Transportation checklists used as required, Inspection Form Comments: The transportation checklist is missing.	Pending Correction
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: The vehicle safety checklist is missing.	Pending Correction

Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form
Comments: The staff files are not complete.

Pending Correction

INSTRUCTIONS TO PERSON IN CHARGE: Column 2, Date Corrected is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 12/16/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Health & Safety Guidelines. A facility approved by the Department must meet Health & Safety Guidelines applicable to that facility at all times. It is the responsibility of the facility to operate in compliance with Health & Safety Guidelines.

Meredith Jones
Signature of Facility Representative

12-4-2025
Date

TAVIA WOODS

Signature of DHR Representative

12-4-2025
Date

COPIES TO: _____

ALABAMA DEPARTMENT OF HUMAN RESOURCES

CHILD CARE HEALTH & SAFETY GUIDELINES DEFICIENCY REPORT

Facility Name: COVENANT ACADEMY SITE 3

Date of Visit: 12/4/2025

SECTION B - DEFICIENCY INFORMATION (Continued)

<u>Health & Safety Guidelines</u> Deficiency	Date Corrected
Deficiency Summary	
Failed - Temperature between 68-82 degrees, Inspection Form Comments: The thermometer is not reading 68 to 82 degrees in the lunchroom.	Pending Correction
Failed - Outdoor area, Inspection Form Comments: The back side fence has open space at the bottom on the right side, an open space on the side.	Pending Correction

Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: There is one person with CPR and First on the premise.	Pending Correction
Failed - Transportation checklists used as required, Inspection Form Comments: The transportation checklist is missing.	Pending Correction
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: The vehicle safety checklist is missing.	Pending Correction
Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form Comments: The staff files are not complete.	Pending Correction

INSTRUCTIONS TO FACILITY: Column 2, Date Corrected is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 12/16/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Health & Safety Guidelines. A facility approved by the Department must meet Health & Safety Guidelines applicable to that facility at all times. It is the responsibility of the facility to operate in compliance with the Health & Safety Guidelines

Maddison Jones
Signature of Facility Representative

12-4-2025
Date

TAVIA WOODS

12-4-2025

Signature of DHR Representative

Date

COPIES TO:

PROCEDURES-DEFICIENCY REPORT

This form is to be used to record deficiencies observed by DHR Representative or admitted to by the facility's staff, during visits to facilities. The form may be used in conjunction with an evaluation form or at any time a deficiency is noted. The form should be completed and reviewed with the facility representative at the end of the visit. A copy of the form should be left at the facility or mailed to the facility after the visit. The original must be placed in the Department's file. The form is to be handwritten or printed so that it is readable. All sections are to be completed by the DHR representative unless otherwise noted. Additional pages may be used if needed. Note number of pages, such as page 1 of 3.

SECTION A-IDENTIFYING INFORMATION

FACILITY NAME-Record name of the facility.

TYPE OF FACILITY-Check all that apply.

DATE OF VISIT-Date of completion of deficiency report.

FACILITY ADDRESS-Street address of the facility, not P. O. Box or mailing address.

TELEPHONE #-Telephone number of the facility, including area code.

STAFF IN CHARGE-Name of person in charge during visit.

AGES-Age range of children.

CAPACITY-Number of children according to capacity requirements.

SECTION B-DEFICIENCY INFORMATION

Column 1-HEALTH & SAFETY GUIDELINES DEFICIENCY-Describe the deficiency observed; for example: child-staff ratio in the three-year-old group, children's records incomplete.

Column 2-DATE CORRECTED BY FACILITY REPRESENTATIVE should record the date each deficiency is corrected and his/her initials in Column 2. A copy of the deficiency report with corrections noted must be sent to DHR on or before the date indicated. If a follow-up visit is conducted by the DHR representative and deficiencies have not been corrected, or if additional deficiencies are observed during the follow-up visit, a new deficiency report must be completed, listing any deficiencies listed on the previous report which has not been corrected and any new deficiencies observed. If no copy is received from the facility, the DHR representative may make a copy of the original form in the file for use during a follow-up visit. If the facility fails to submit the deficiency report by the date indicated, the DHR representative may contact the facility by telephone as a reminder. Such contact should be noted in the Department's file.

SIGNATURE OF FACILITY REPRESENTATIVE- Staff member in charge may sign. If the facility representative refuses to sign the Deficiency Report, the DHR representative should indicate this on the signature line, "Facility representative refused to sign" or "No staff member in charge with authority to sign" and note the date.

COPIES TO - Indicates distribution. A copy should be sent to the facility. A record of distribution of copies, including interdepartmental copies must be maintained. The original must be maintained in the Department's file.