

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: ACADEMIC SUCCESS ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 1/22/2026
Facility Address: 5850 Main Street, Millbrook, AL 36054, Elmore	Licensee: ACADEMIC SUCCESS ACADEMY LLC	Telephone #: (334) 290-8100
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 68 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
Deficiency Summary	
The 2 1/2 and up classroom is out of ratio 12 children to 1 staff member., Ad Hoc Comments: NA	1/22/2026
There is no staff in charge of the facility on 1/22/26., Ad Hoc Comments: NA	1/22/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, NA _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative
JESSICA VICE

01/22/26

Date
1/22/26