

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LEGACY OF LEARNING CDC	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 12/19/2025
Facility Address: 11190 HWY 78, RIVERSIDE, AL 35135, St. Clair	Licensee: LEGACY OF LEARNING CDC, LLC	Telephone #: (205) 814-5437
Ages: 0 Weeks to 16 Years	Director (if applicable): CANDACE STEVENS	Capacity: 76 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Transportation checklists used as required, Inspection Form Comments: Staff using incorrect checklist	9/23/2025
Failed - Each child signed in and signed out with a written signature or bio-metric ID, Inspection Form Comments: There were 35 children signed in and 38 present.	9/23/2025
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Not updated.	1/22/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: Rusty areas on swing set on infant-toddler playground Active ant beds on school age playground	9/23/2025
Failed - Medication administered only with written authorization from parent and child's health professional, Inspection Form Comments: Staff administered medication without appropriate medical forms.	10/8/2025
Failed - Medical, Staff Checklist Comments: Expired	12/19/2025
Failed - Medical, Staff Checklist Comments: Expired	10/7/2025
Failed - Ongoing Training, Staff Checklist Comments: no trainings found	10/30/2025

Failed - Health and Safety Training, Staff Checklist Comments: no trainings found	10/30/2025
Failed - Hazardous substances locked, Classroom Checklist / nursery Comments: Deodorant in a diaper bag not locked up.	9/23/2025
Failed - Containers labeled, Classroom Checklist / nursery Comments: unlabeled medications	9/23/2025
Failed - Medication locked, Classroom Checklist / nursery Comments: Desitin, Eucerin, Nystatin, A&D ointment and hand sanitizer not locked up.	9/23/2025
Failed - Medication locked, Classroom Checklist / 2.5-4.0 yr Comments: Banana Boat sunscreen and diaper rash cream not locked away.	9/23/2025
There was clorox wipes not under lock and key in the second hall bathroom., Ad Hoc Comments: NA	12/3/2025
There was baby powder not under lock and key in the infant room., Ad Hoc Comments: NA	12/3/2025
There were 2 infants asleep on boppy pillows with a blanket in the infant room., Ad Hoc Comments: NA	12/3/2025
There were 2 unlabeled spray bottles with a clear liquid (water) inside, Ad Hoc Comments: NA	12/19/2025
There were 2 children under 12 months old left unsupervised for an undetermined amount of time in the infant room when a staff left to help another bring children back to class., Ad Hoc Comments: NA	Pending Correction
There was an infant in a crib with a bottle propped in the infant room., Ad Hoc Comments: NA	12/19/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 01/02/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Darnell Wright
Signature of Facility Representative

12/19/2025
Date

JAIME BOWMAN

12/19/25

**Signature of DHR Licensing
Representative**

Date

COPIES TO: Candace Stevens
Darnell Wright